

BLANK PAGE



Indian Standard

SPECIFICATION FOR BUCKETS TO BE USED IN POWER DRIVEN BUCKET TYPE SEWER CLEANING MACHINE

UDC 628:28



@ Copyright 1983

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Indian Standard

SPECIFICATION FOR BUCKETS TO BE USED IN POWER DRIVEN BUCKET TYPE SEWER CLEANING MACHINE

Public Health Engineering Equipment Sectional Committee, **BDC 40**

Chair man

Representing

Dr B. B. SUNDARESAN

National Environmental Engineering Research Institute (CSIR), Nagpur

Members

SHRI R. PARAMASIVAM (Alternate to

Dr B. B. Sundaresan)

Adviser (PHE)

DR S. R. SUKLA (Alternate)

SHRI S. V. BOPARDIKAR

SHRI R. C. P. CHAUDHARY

CHIEF ENGINEER

Ministry of Works & Housing, New Delhi

Directorate General of Technical Development, New Delhi

Engineers India Limited, New Delhi

Department of Health, Government of West Benga_-Calcutta

SHRI T. N. CHATTERJEE (Alternate)

CHIEF ENGINEER (WATER) SHRI JAI NARAIN (Alternate)

SHRI D. K. CHOUDHURY

SHRI D. R. MALL (Alternate)

SHRI S. K. DASGUPTA

SHRI S. J. DUTTA (Alternate) DY MUNICIPAL COMMISSIONER

Municipal Corporation of Delhi, Delhi

Geo-Miller & Co. Calcutta

Calcutta Metropolitan Development Authority, Calcutta

Municipal Corporation of Greater Bombay, Bombay

Hydraulic Engineer (Alternate I) CHIEF ENGINEER (SEWERAGE)

(Alternate II)

SHRI B. R. N. GUPTA Engineer-in-Chief's Branch, Army Headquarters, New Delhi

SHRI K. V. KRISHNAMURTHY (Alternate)

(Continued on page 2)

@ Copyright 1983

INDIAN STANDARDS INSTITUTION

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

SHRI S. P. JAMES

(Continued from page 1)

Members

Representing

.

Local Administration & Social Welfare (F)
Department, Trivandrum
Tamil Nadu Water Supply & Drainage Board,
Madras

SHRI R. KRISHNASWAMY

SHRI S. A. JAGDESAN (Alternate)
SHRI M. Y. MADAN T
SHRI C. E. S. RAO (Alternate)
SHRI S. R. MAJUMDAR
SHRI A. R. MIR

SHRI G. M. KANTH (Alternate)
SHRI S S. NAIK
SHRI D. R. KENKRE (Alternate)
SHRI R. NATARAJAN
SHRI B. M. RAHUL (Alternate)

SHRI M. M. PATEL PROF S. SUBHA RAO

SHRI A. V. RAO (Alternate)
REPRESENTATIVE

REPRESENTATIVE

SHRI K. K. GANDHI (Alternate) SHRI T. P. SHARMA

DR G. K. KHARE (Alternate)
SHIRT S. S. SRIVASTAVA
SHIRT S. A. SWAMY
SHIRT P. S. TENDOLKAR

SHRI C. L. SASTRI (Alternate)
SHRI M. G. VAIDYA

SHRI V. VARDARAJAN

SHRI S. DAIVAMANI (Alternate)
SHRI G. RAMAN,
Director (Civ Engg)

The Hindustan Construction Co Ltd, Bombay

Paterson Engineering Co (India) Ltd, Calcutta Public Health Engineering Department, Government of Jammu & Kashmir, Srinagar

Hydraulic & General Engineers Pvt Ltd, Bombay

Hindustan Dorr-Oliver Ltd, Bombay

Indian Water Works Association, Bombay
All India Institute of Hygiene & Public Health,
Calcutta

Public Health Engineering Department, Government of Punjab, Chandigarh Public Health Engineering Department, Government of Haryana, Chandigarh

M. P. State Prevention and Control of Water Pollution Board, Bhopal

Uttar Pradesh Jal Nigam, Lucknow The Institution of Engineers (India), Calcutta Candy Filters (India) Ltd, Bombay

Public Health Engineering Department, Government of Madhya Pradesh, Bhopal Madras Metropolitan Water Supply and Sewerage Board, Madras

Director General, ISI (Ex-officio Member)

Secretary

SHRI A. K. AVASTHY
Assistant Director (Civ Engg), ISI

Sewer Cleaning Equipment Subcommittee, BDC 40:3

Convener

SHRI B. R. N. GUPTA Members

Shri R. R. Bagri

Engineer-in-Chief's Branch, Army Headquarters, New Delhi

Clear Water Ltd, New Delhi

(Continued on page 6)

Indian Standard

IN POWER DRIVEN BUCKET TYPE SEWER CLEANING MACHINE

0. FOREWORD

- 0.1 This Indian Standard was adopted by the Indian Standards Institution on 31 May 1983, after the draft finalized by the Public Health Engineering Equipment Sectional Committee had been approved by the Civil Engineering Division Council.
- 0.2 For removing accumulated silt and debris from a sewer, power driven bucket type sewer cleaning machine should be preferred to old methods, such as manual cleaning by rope pulling which are not considered to be hygienically safe. This standard has been prepared with a view to providing guidance regarding dimension, shape and material of buckets commonly employed in power driven bucket type sewer cleaning machine. General requirements for power driven bucket type sewer cleaning machine have been covered in Indian Standard 'Requirements for power driven type sewer cleaning machine' (under preparation).
- 0.3 In the formulation of this standard due weightage has been given to international co-ordination among the standards and practices prevailing in different countries in addition to relating it to the practices in the field in this country.
- 0.4 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS: 2-1960*. The number of significant places retained in the rounded off value should be same as that of the specified value in this standard.

1. SCOPE

1.1 This standard lays down requirements regarding materials, capacity nd construction of different sizes of buckets used for cleaning of sewer by ameans of the power driven bucket type machines.

^{*}Rules for rounding off numerical values (revised).

2. MATERIALS

- 2.1 Buckets shall be made of mild steel plate conforming to IS: 2062-1980*, hot rolled steel sheet/plate conforming to IS: 1079-1973† (Grade 'O', 'D', 'DD' or 'EDD' quality) or cold rolled steel sheet/plate conforming to IS: 513-1973‡ (Grade 'D', 'DD' or 'EDD' quality). Materials for round bars shall conform to IS: 432 (Part 1)-1966§.
- 2.2 Hooking hole or other attachments may be provided on the bucket for facilitating discharge. Additional steel plates on either side should be welded around the hooking hole.
- 2.3 The thickness of steel sheets/plates used for fabrication of buckets shall not be less than 3 mm.

3. SIZE AND CAPACITY

3.1 The sizes and capacity of buckets shall be in accordance with Table 1.

	TABLE	1 DIMENSION OF BUCKETS	
SL No.	DESIGNATION	OVERALL DIA (mm)	Overall Length (mm)
i)	B1	100	600
ii)	B2	150	700
iii)	B3	250	900
iv)	B 4	300	1 000

4. CONSTRUCTION

- 4.1 Each bucket shall be designed with construction features like ribs, stiffening flats, etc, to withstand stress and strain arising during operation in the sewer.
- 4.2 The bucket shall be of cylindro-conical shape.
- 4.3 The bucket shall be provided with hinged flap bottoms. The hinged flap bottom shall automatically open when being pulled into the sewers. On being pulled out in reverse direction, the flaps shall automatically close. Each bucket shall be provided with bails for connecting to the pulling ropes.

^{*}Specification for structural steel (fusion welding quality) (second revision).

[†]Specification for hot rolled carbon steel sheet and strip (third revision).

[‡]Specification for cold rolled carbon steel, sheets (second revision).

[§]Specification for mild steel and medium tensile steel bars and hard-drawn steel wire for concrete reinforcement: Part 1 Mild steel and medium tensile steel bars (second revision).

IS: 10552 - 1983

- 4.4 Cutting lips, drain holes and other features may be provided depending upon manufacturer's design.
- 4.5 The buckets should be so designed that they can be satisfactorily emptied with the help of the rotating hook arms or with the help of truck loader attachments provided on the machine.

5. MARKING

- 5.1 Each bucket shall have a plate firmly attached, with the following particulars:
 - a) Manufacturers' name and trade-mark,
 - b) Designation, and
 - c) Year of manufacture.
 - 5.1.1 Each bucket may also be marked with the ISI Certification Mark.

Note — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

IS: 10552 - 1983

(Continued from page 2)

Members

Representing

SHRI P.	K.	BANERJEE	CHOUDHARY
SHRI A.	C.	BHALLA	

SHRI N. C. BHALLA (Alternate) SHRI S. J. DATTA

Corporation of Calcutta Mechanical Movements Private Ltd, Delhi

Bombay

Calcutta Metropolitan Development Authority, Calcutta Municipal Corporation of Greater Bombay,

DY CHIEF ENGINEER (SEWERAGE)

EXECUTIVE ENGINEER

(MAINTENANCE) (Alternate) SHRI K. K. GANDHI

SHRI JAI NARAIN SHRI R. KRISHNASWAMY Public Health Engineering Department, Govern-

ment of Haryana Municipal Corporation of Delhi, Delhi Tamil Nadu Water Supply and Drainage Board, Madras

SHRI S. A. JAGDESAN (Alternate) SHRI S. S. NAIK

Hydraulic General Engineers Ltd. Bombay

SHRI R. S. GAITENDE (Alternate) SHRI KISHORE K. SANGHANI SHRI V. VARADARAJAN

Ahmadabad Municipal Corporation, Ahmadabad Madras Metropolitan Water Supply and Drainage Board, Madras

SHRI S. DAIVAMANI (Alternate)